



BIG DOORS AND WINDOWS

EXTERNAL DOOR CATALOGUE



CONTENTS

ABOUT COMPANY	05
EXTERNAL DOORS	06
DOOR PANELS	08
PANEL FILLINGS	10
DOOR GLAZING	12
PATTERNS OF DOOR PANELS	14
GLASS PANELS	86
CLASSICLINE DOORS	96
ECOGREEN EMBOSSED PANELS	110
PVC MODEL DOORS	134
OVERLAY PANELS PVC	156
STEEL DOORS	196
DOOR THRESHOLDS	200
DOOR ACCESSORIES	202





Our Company

BIG DOORS AND WINDOWS is a manufacturer with an international reach, offering windows and doors made of PVC, wood, aluminium and steel. We have been on the market since 1998. Production takes place in halls with state-of-the-art automated production lines, supported by qualified and experienced staff. We focus on development and innovation. We were the first in Europe to introduce to mass sale windows made in the V-Perfect shape welding technology.

Our offer is constantly expanding. Already today we are able to offer you several dozen different window and door systems. We also offer sliding systems, roller shutters, sectional garage and industrial doors, mosquito nets, fences and pergolas. As an addition to windows and doors, we offer covers. We produce internal and external roller blinds, facade blinds and shutters.

Everything is of the best quality, because we use only high-quality materials from leading European suppliers.

Years of experience allow us to accurately predict demand and respond to customer needs. Striving for a fresh perspective on evolving trends enables us to craft products that precisely meet all market demands. Multi-million investments in machinery, experience and multilingual staff make our export strength grow year by year. We are successfully expanding into European and non-European markets.

The quality of our products and the actions we take have gained the recognition of customers around the world. So far, we have created a powerful sales network, which we are constantly expanding.



FRONT DOOR

We have prepared a wide range of designs to choose from. Modern technologies used during production guarantee high resistance to external conditions and easy cleaning. We also offer the possibility of making doors according to your own design, we suggest the best construction solutions.



Door panels

Doors from the BIG DOORS AND WINDOWS, Alu and Wood lines are the most popular, universal solutions, chosen by the largest group of customers. We offer a wide range of designs. We allow customers to create their own projects, which we then implement for them. The materials and production techniques used ensure durability and ease of cleaning. Glazing can be installed in the doors.




EkoLine

AluLine

WoodLine




Design without
INOX applications



x, y - dimension of the pattern in mm

Pattern with
INOX application



Available colour
options:

- Aluplast
- Salamander
- Gealan
- RAL



Panel fillings available:

- composite + XPS extruded polystyrene
- foam
- plywood + XPS extruded polystyrene



Materials from which
the door can be made:

- PVC
- Aluminium (ALU)
- Wood

Panel filling

We offer our customers panels with three types of filling - polyurethane foam, plywood or XPS extruded polystyrene. Each of them can be 24, 36 or 48 mm thick. Panels, depending on customer preferences and technical requirements, are made of HPL boards or aluminium sheet. HPL boards are veneered, sheet metal – varnished. On the other hand, in wooden doors, we offer panels with a thickness of 24, 34 and 46 mm.

HPL - BigDoors
Aluminium - AluLine



24 | 36 | 48 mm

EkoLine
AluLine

HPL - BigDoors
Aluminium - AluLine



24 | 36 | 48 mm

EkoLine
AluLine

HPL - BigDoors
Aluminium - AluLine



24 | 36 | 48 mm

EkoLine
AluLine

Veneered
plywood
XPS extruded polystyrene



24 | 36 | 46 mm

WoodLine

Hydro Exterior
HDF
XPS extruded polystyrene



24 - 48 mm

ekogreen

Door glazing

As a standard, glazing in door panels is made of frosted glass. In panels with a thickness of 24 mm, we use safety glass on the external side. In panels with a thickness of 36 and 48 mm, the glazing is made of safety glass on both sides.

24 mm panel



internal side 4 MAT glass

(safety glass)
VSG 33.1 ONE MAT
Woodline - 4 ESG MAT

36 mm panel



internal side (safety
glass) VSG 33.1 MAT

(safety glass)
VSG 33.1 ONE MAT

48 mm panel



(safety glass)
VSG 33.1 MAT

4mm float glass

(safety glass)
VSG 33.1 ONE MAT

Safe glass


Safety glass is made by covering the glass with special polyvinyl butyral films. In case of glass breakage, the glass fragments remain attached to the film (VSG glass). Tempered safety glass is characterised by greater resistance to breakage and temperature changes (ESG glass). Broken glass of this type breaks into small pieces with blunt edges, which reduces the risk of injury.



Ornamental glazing

We offer a wide range of glass with a motif, made of transparent glass and ornamental glass in the most popular patterns. Ornamental glass will work in homes, offices, shops, hotels and restaurants. It provides privacy and brightens the interior.






Panel01




Panel02



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel03



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2450
WOOD: 570x1750	WOOD: 840x2240


Panel04



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel05



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel06



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel07



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel08



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel09



Without INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel10



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel11



Without INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel12




Without INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


With INOX application




Panel13



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel14



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel15




Panel16



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel17



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel18



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel19



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2450
WOOD: 570x1750	WOOD: 840x2240


Panel20



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 660x1650	PVC: 900x2150
ALU: 660x1650	ALU: 1100x2450
WOOD: 660x1650	WOOD: 840x2240


Panel21



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel22



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel23



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel24



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel25



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 380x1650	PVC: 900x2150
ALU: 380x1650	ALU: 1100x2450
WOOD: 380x1650	WOOD: 840x2240


Panel26



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel27



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel28



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 410x1650	PVC: 900x2150
ALU: 410x1650	ALU: 1100x2450
WOOD: 410x1650	WOOD: 840x2240


Panel29



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 410x1650	PVC: 900x2150
ALU: 410x1650	ALU: 1100x2450
WOOD: 410x1650	WOOD: 840x2240

Panel30



Without INOX application




Minimum panel size	Maximum panel size
PVC: 420x1650	PVC: 900x2150
ALU: 420x1650	ALU: 1100x2450
WOOD: 420x1650	WOOD: 840x2240


Panel31



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel32



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel33



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel34



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel35



Panel36



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel37



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel38



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel39



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel40



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel41



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel42



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel43



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 580x1750	PVC: 900x2150
ALU: 580x1750	ALU: 1100x2450
WOOD: 580x1750	WOOD: 840x2240


Panel44



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel45



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600 x 1650	PVC: 900 x 2150
ALU: 600 x 1650	ALU: 1100 x 2450
WOOD: 600 x 1650	WOOD: 840 x 2240


Panel46



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel47



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel48



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 640x1650	PVC: 900x2150
ALU: 640x1650	ALU: 1100x2450
WOOD: 640x1650	WOOD: 840x2240


Panel49



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel50



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 450x1650	PVC: 900x2150
ALU: 450x1650	ALU: 1100x2450
WOOD: 450x1650	WOOD: 840x2240


Panel51




Panel52



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 620x1650	PVC: 900x2150
ALU: 620x1650	ALU: 1100x2450
WOOD: 620x1650	WOOD: 840x2240


Panel53



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 640x1650	PVC: 900x2150
ALU: 640x1650	ALU: 1100x2450
WOOD: 640x1650	WOOD: 840x2240


Panel54



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel55



Without INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel56



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240

Panel57





Panel58



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Without INOX application

With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel59



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel60



With INOX application




Minimum panel size	Maximum panel size
PVC: 400x1650	PVC: 900x2150
ALU: 400x1650	ALU: 1100x2450
WOOD: 400x1650	WOOD: 840x2240

Panel61



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1750	PVC: 900x2150
ALU: 570x1750	ALU: 1100x2450
WOOD: 570x1750	WOOD: 840x2240

Panel62



Without INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: -

Panel63



With INOX application




Minimum panel size	Maximum panel size
PVC: 500x1650	PVC: 900x2150
ALU: 500x1650	ALU: 1100x2450
WOOD: 500x1650	WOOD: 840x2240

Panel64



With INOX application




Minimum panel size	Maximum panel size
PVC: 500x1650	PVC: 900x2150
ALU: 500x1650	ALU: 1100x2450
WOOD: 500x1650	WOOD: 840x2240

Panel65



With INOX application



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240

Panel66



With INOX application



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel67



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel68



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel69



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel70



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel71



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel72



Without INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel73



Without INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel74



Without INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel75



Without INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel76




Without INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


With INOX application




Panel77



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 620x1650	PVC: 900x2150
ALU: 620x1650	ALU: 1100x2450
WOOD: 620x1650	WOOD: 840x2240


Panel78



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel79




Panel80



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel81



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel82



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 630x1650	PVC: 900x2150
ALU: 630x1650	ALU: 1100x2450
WOOD: 630x1650	WOOD: 840x2240


Panel83



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240


Panel84



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel85



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 420x1650	PVC: 900x2150
ALU: 420x1650	ALU: 1100x2450
WOOD: 420x1650	WOOD: 840x2240


Panel86



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU: 1100x2450
WOOD: 610x1650	WOOD: 840x2240


Panel87



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel88



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Panel89



Without INOX application With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel90



Without INOX application With INOX application




Minimum panel size	Maximum panel size
PVC: 610x1650	PVC: 900x2150
ALU: 610x1650	ALU: 1100x2450
WOOD: 610x1650	WOOD: 840x2240

Panel91



Without INOX application



With INOX application




Minimum size	panel	Maximum panel size
PVC:	610x1650	PVC: 900x2150
ALU:	610x1650	ALU: 1100x2450
WOOD:	610x1650	WOOD: 840x2240


Panel92



Without INOX application



With INOX application




Minimum size	panel	Maximum panel size
PVC:	570x1650	PVC: 900x2150
ALU:	570x1650	ALU: 1100x2450
WOOD:	570x1650	WOOD: 840x2240

Panel93



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel94



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel95




Panel96



Without INOX application




With INOX application



Minimum panel size	Maximum panel size
PVC: 380x1650	PVC: 900x2150
ALU: 380x1650	ALU: 1100x2450
WOOD: 380x1650	WOOD: 840x2240

With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel97



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 650x1650	PVC: 900x2150
ALU: 650x1650	ALU: 1100x2450
WOOD: 650x1650	WOOD: 840x2240


Panel98



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel99



Panel100




Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
-	-

Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel101



Panel102




Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel103



Panel104




Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

Without INOX application With INOX application




Minimum panel size	Maximum panel size
PVC: 390x1650	PVC: 900x2150
ALU: 390x1650	ALU: 1100x2450
WOOD: 390x1650	WOOD: 840x2240


Panel105



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel106



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel107




Panel108



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel**109**



Without INOX application




Minimum panel size	panel	Maximum panel size
PVC:	300x1650	PVC: 900x2150
ALU:	300x1650	ALU: 1100x2450
WOOD:	300x1650	WOOD: 840x2240

Panel**110**



Without INOX application




Minimum panel size	panel	Maximum panel size
PVC:	300x1650	PVC: 900x2150
ALU:	300x1650	ALU: 1100x2450
WOOD:	300x1650	WOOD: 840x2240

Panel**111**



Without INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240

Panel**112**



Without INOX application




Minimum panel size	Maximum panel size
PVC: 300x1650	PVC: 900x2150
ALU: 300x1650	ALU: 1100x2450
WOOD: 300x1650	WOOD: 840x2240


Panel**113**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 615x1650	PVC: 900x2150
ALU: 615x1650	ALU: 1100x2450
WOOD: 615x1650	WOOD: 840x2240


Panel**114**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel**115**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel**116**



Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel**117**




Panel**118**



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Without INOX application



With INOX application



Minimum panel size	Maximum panel size
PVC: 560x1650	PVC: 900x2150
ALU: 560x1650	ALU: 1100x2450
WOOD: 560x1650	WOOD: 840x2240


Panel119




Panel120



Without INOX application




With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240

With INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel121



Panel122




Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 370x1812	PVC: 900x2150
ALU: 370x1812	ALU: 1100x2450
WOOD: 370x1812	WOOD: 840x2240

Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel123




Panel124



Without INOX application




With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240

Panel125



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 650x1650	PVC: 900x2150
ALU: 650x1650	ALU: 1100x2450
WOOD: 650x1650	WOOD: 840x2240


Panel126



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240


Panel127



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel128



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel**129**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240


Panel**130**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel**131**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel**132**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: 840x2240


Panel133



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 590x1650	PVC: 900x2150
ALU: 590x1650	ALU: 1100x2450
WOOD: 590x1650	WOOD: 840x2240

Panel134



Without INOX application



Minimum panel size	Maximum panel size
PVC: 570x1650	PVC: 900x2150
ALU: 570x1650	ALU: 1100x2450
WOOD: 570x1650	WOOD: -


Panel135



Panel136




Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2450
WOOD: 600x1650	WOOD: 840x2240

Without INOX application With INOX application



Minimum panel size	Maximum panel size
PVC: 370x1650	PVC: 900x2150
ALU: 370x1650	ALU: 1100x2450
WOOD: 370x1650	WOOD: 840x2240

Panel**137**



With INOX applicatinn




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel**138**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240


Panel**139**



Without INOX application



With INOX application




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150
ALU: 600x1650	ALU: 1100x2300
WOOD: 600x1650	WOOD: 840x2240

Panel**140**



Without INOX application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: -	WOOD: -

Panel**141**



Without INOX application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
1650 ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel**142**



Without INOX application




Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
1650 ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel**143**



Without INOX application




Minimum panel size	Maximum panel size
PVC: 370 x 1650	PVC: 900 x 2150
1650 ALU: 370 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Panel**144**



Without INOX application



Minimum panel size	Maximum panel size
PVC: 570 x 1650	PVC: 900 x 2150
1650 ALU: 570 x 1650	ALU: 1100 x 2300
WOOD: –	WOOD: –

Glass panels

BigDoors glass door panels are chosen by architects who care about using as much natural light as possible. This elegant door, suitable for any style, can be adapted to individual needs thanks to the large number of finishing options. This is a great solution for individual and institutional investors.



EkoVitre



Available colour options:

- Aluplast
- Salamander
- Gealan
- RAL



Materials from which the door can be made:

- PVC
- Aluminium (ALU)
- Wood



Panel fillings available:

- glazing unit (44.4cz. sandblasted /18Ar/44.2th)



Panel01



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel02



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel03



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950 x 2200
ALU: 600x1700	ALU: 950 x 2200
WOOD: 600 x1700	WOOD: 950 x 2200

Panel04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel09



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel10



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel11



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel13



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel14



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1700	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200

Panel15



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1700	PVC: 950x2200
ALU: 600x1650	ALU: 950x2200
WOOD: 600x1700	WOOD: 950x2200



Embossed panels

ClassicLine is a combination of traditional aesthetics and modern materials, thanks to which the customer buys solid doors at an attractive price. The number of colour variants is impressive, and the resistance to external factors guarantees high comfort of use for years. Thanks to good performance parameters, they are an interesting proposition for investors who care about low maintenance costs.

Panels with a thickness of 36 and 48 mm

Handle or handrail

Panels made of MDF boards and XPS foam



ClassicLine



Materials from which
the door can be made:

- Wood
- PVC



Available colour
options:

- Aluplast
- Salamander
- Gealan
- RAL

Panel01



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel02



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel03



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel05



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel07



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel09



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel10



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel**13**



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel**14**



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel**15**



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel**16**



Technical drawing




Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300

Panel17



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600 x 1750	PVC: 1100 x 2220

Panel18



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600 x 1750	PVC: 1100 x 2220

Panel19



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600 x 1750	PVC: 1100 x 2220

Panel20



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600 x 1750	PVC: 1100 x 2220

Panel21



Technical drawing



Minimum panel size	Maximum panel size
PVC: 500x1750	PVC: 1100x2300





Embossed panels **BigGreen**

BigGreen combines the highest level of thermal insulation with a diverse design inspired by Mediterranean stylistics, allowing for the creation of exterior doors that stand out in every way. The BigGreen collection allows for the composition of panels with side inserts, bottom panels (Sottotraversi), and shutters (Scuretti).



A complete list of designs is available in the sales department.



- Materials from which the door can be made:
- PVC



Available colour options:

- Aluplast
- Salamander
- Gealan

UNPARALLELED ITALIAN DESIGN

Italian style is one of the bases of all aesthetic trends prevailing in Europe. Starting from ancient Rome, great artists from the Apennine Peninsula delight us with their mastery of form. BigGreen embossed panels perfectly match this sense of aesthetics, offering us a wealth of classic and exciting solutions.

Natural wood and rich design delight especially in the Mediterranean, where the possibilities of light control provided by glazing, side panels and accessories are also intensively used.

Ecology at the highest level

BigGreen is not a random name. All products in this series are produced with particular emphasis on ecological issues. Their use allows you to reduce your carbon footprint by using safely sourced wood and improving thermal insulation by as much as 40% compared to typical door panels.



COMBINE ALL SOLUTIONS

BigGreen panels were created to unleash the creativity of their users. All doors can be freely combined with extensions, equipped with Sottotraversi bottom panels and supplemented with Scuretti internal shutters. This way, you have an absolutely unique interior design at your fingertips, tailored to the character of the building and its users.



classic door panels and side panels



interior shutters

embossed bottom panels

Embossed panels

BigGreendoor panels are a combination of classic elegance and advanced technologies. Great emphasis was placed on ecology, which allowed us to further improve the operational parameters of the doors and their finishing options.

By reducing the weight of the door by 30%, it is possible to achieve better thermal insulation by up to 40%. This makes it easier to achieve thermal comfort in the interior. This is due to the layered structure of Hydro Exterior, made of medium-length chips, glued in such a way that the resulting panel is resistant to water and mechanical factors.

The multi-layer PVC-Acrylic foil makes the doors resistant to temperatures ranging from -50 to +120°C. It can also reflect up to 80% of UV radiation (Solar Shield technology), thus maintaining the colour, and the thickness of the coating is a great medium for creating 3D decorations.

- panel thickness: 24-48 mm
- solid or glazed door panels
- Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M) embossed, milled or 3D relief
- safety glass 33.1 in glazing
- glazing with a glazing bead (ON type), without glazing bead (type O)
- maximum size 1100 x 2800 mm
- minimum size 200 x 1500 mm
- $U_p = 0.66 \text{ W/m}^2\text{K}$ (for 44-48 mm thick panels)



002




002V01



002V02




002V03




glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




■ glass
 ■ inset
 ■ relief with 3D effect / milled lines




■ glass ■ inset ■ relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




■ glass ■ inset ■ relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




glass
 inset
 relief with 3D effect / milled lines




■ glass
 ■ inset
 ■ relief with 3D effect / milled lines





-  glass
-  inset
-  relief with 3D effect / milled lines



Embossed extensions

BigGreen embossed extensions can be placed on one or both sides of the door. They can complement or contrast their aesthetic. They are used to create impressive, very elegant entrances to buildings, which are their real showcase.

You can choose from all the aesthetic solutions available for BigGreen doors, which guarantees the ease of finding the option that will suit you best. Acoustic and thermal insulation parameters are also at an equally high level.

The possibility of using glazing makes the interior brighter, and various glass configurations mean even more creative possibilities.

- panel thickness: 24-48 mm
- • solid or glazed door panels
- • Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M) embossed or milled, safety glass 33.1 in glazing
- glazing with a glazing bead (ON type), without glazing bead (type O)
- maximum size 550 x 2800 mm
- • minimum size 200 x 1500 mm
- Up = 0.66 W/m²K (for 44-48 mm thick panels)



202




202V01



202V02



202V03



Interior shutters

Scuretti, i.e. BigGreen internal shutters are used wherever style is important and adequate sun control is important. The place where they are most appreciated are the seaside cities in Italy, but the heat pouring from the sky and the beauty of Italian architecture mean that people from other parts of the world also invite them to their homes..

They limit excess light entering the interior, protect it from overheating and provide privacy for household members.

INTERIOR SHUTTERS

Scuretti

- panel thickness: 18 mm
- heat protection and light intensity regulation
- Hydro Exterior HDF board
- embossed or milled on both sides
- maximum size 800 x 2400 mm
- minimum size 200 x 200 mm

BOTTOM EMBOSSED PANELS

Sot tottraversi

- panel thickness: 24-48 mm
- solid door panels
- Hydro Exterior HDF board + XPS insulation
- one-sided (E-K), two-sided (E-M)
 - embossed or milled
- maximum size 1100 x 2800 mm
- minimum size 200 x 200 mm
- $U_p = 0.66 \text{ W/m}^2\text{K}$
- (for 44-48 mm thick panels)



Embossed bottom panels

An exceptionally popular addition to BigGreen doors are Sot tottraversi panels, i.e. embossed bottom panels. They are one of the hallmarks of elegant doors in Mediterranean countries, although they also fit perfectly into the style more common further up north.


The thermal insulation of the lower panels is exactly the same as in the case of the basic BigGreen panels, so their use does not negatively affect the technical parameters of the entire door. The acoustic insulation and durability of the product do not deteriorate either.

All embossed bottom panels are compatible with all BigGreen embossed panels, allowing you to create any configurations.

Elegant Italian design will satisfy the most demanding customers. We have beautiful, timeless designs of interior shutter panels and embossed bottom panels, including: Stella, Milano, Roma, which will perfectly match your style.



VARIANTS



FIT TINGS



Types of panel finishes and embossed side panels



wood-like frame



glass



cutters in shallow relief



type O - without glazing bead



type OF - without glazing bead



ON type - with glazing bead



insert with 3D effect



multicoloured inserts

Wstawki imitujące



inox frame




charcoal insert



milled lines



wood-like insert



aluminium insert



stone insert




copper insert

The finishes for embossed panels and extensions presented above are only examples of inspiration. Please contact our sales representatives and learn about our full offer.



PVC model doors

We create model doors based on the most popular window and door systems in our offer. In this way, we guarantee perfect aesthetic consistency of the woodwork throughout the house. At the same time, we use solutions with the best performance parameters. The panels can adapt various glazing layouts and use the same colour schemes as windows.





Profiles from which
the door can be
made (Aluplast
colours):

- Ideal 4000 • Ideal 5000 • Ideal 8000 • BigDoors 70




Profiles that can be used
to make doors
(Salamander colours):

- BluEvolution 92

Model **02**



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model **03**



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 04



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 05



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 06



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 07



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 08



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 09



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 10



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 11



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 12



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 13



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150


Model 14



Model 15




Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 16



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 17



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 18



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 19



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 20



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 21



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 22



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 23



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 24



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 25



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 26



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 27



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 28



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 29



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 30



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 31



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 32



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 33



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 34



Technical drawing



Minimum panel size

PVC: 600x1650


Maximum panel size

PVC: 900x2150

Model 35



Technical drawing



Minimum panel size

PVC: 600x1650


Maximum panel size

PVC: 900x2150

Model 36



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 37



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 38



Technical drawing




Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 39



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150

Model 40



Technical drawing



Minimum panel size	Maximum panel size
PVC: 600x1650	PVC: 900x2150



Overlay panels **PVC**

The attractive aesthetics of the fully covered door leaf frame, rich colors, glazing, and accessories make overlay panels consistently eye-catching. This option is exceptionally durable, with a solid core and GFRP overlay that together offer above-average performance characteristics.





- Materials from which the door can be made:
- PVC



- Available colour options:
- RAL K5 Classic

AIDA ET



Interior side



Exterior side

Technical drawing



Minimum panel size PVC: 500 x 1500	Maximum panel size PVC: 990 x 2270*
---------------------------------------	--

Technical drawing



Minimum panel size PVC: 500 x 1500	Maximum panel size PVC: 990 x 2270*
---------------------------------------	--

* 2280 for lacquered panels

AMANDA ET




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

AMELIE ET




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative

** 2280 for lacquered panels

ANETA ET



Interior side



Exterior side

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

* 2280 for lacquered panels

ANGELIKA ET




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

BARBARAET



Interior side




Exterior side*

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270**

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

BRIGITTEET



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

DENISA ET



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500


Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

DONATELA ET




Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

DORIS ET




Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative

** 2280 for lacquered panels

ESTER **ET**




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

FLAVIAET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative

** 2280 for lacquered panels

FLORA**ET**



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* The horizontal application can be removed
** 2280 for lacquered panels

GITA ET




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

IDA ET



Interior side



Exterior side

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

** 2280 for lacquered panels

ISABELAET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

KIM ET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

KIRAET




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

LAURA ET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative

** 2280 for lacquered panels

LILYET



Interior side



Exterior side*

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270**

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

MANON ET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

MARION ET



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Option to choose the application contour color in consultation with a sales representative

** 2280 for lacquered panels

MEGAN ET



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Possibility to choose the application color in consultation with a sales representative
** 2280 for lacquered panels

MILENA ET




Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

*Option to choose the pilaster contour color in consultation with a sales representative
** 2280 for lacquered panels

MIRANDA ET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Possibility to choose the application color in consultation with a sales representative
** 2280 for lacquered panels

MIRIAM ET




Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

MIRKA ET




Interior side




Exterior side

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270*

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270*

* 2280 for lacquered panels

NELA ET



Interior side



Exterior side


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

* 2280 for lacquered panels

ODETTE ET




Interior side



Exterior side


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

* 2280 for lacquered panels

PATRICIE ET



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Possibility to choose the application color in consultation with a sales representative
** 2280 for lacquered panels

PENELOPEET



Interior side



Exterior side*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Option to choose the pilaster contour color in consultation with a sales representative
** 2280 for lacquered panels

RADANA ET




Interior side



Exterior side

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

* 2280 for lacquered panels

RAISAET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Ability to choose the contour color in consultation with a sales representative
** 2280 for lacquered panels

ROSALIEET



Interior side



Exterior side

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

* 2280 for lacquered panels

SARAH ET



Interior side



Exterior side*


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270**

* Possibility to choose the application color in consultation with a sales representative
** 2280 for lacquered panels

SOFIE ET



Interior side




Exterior side*

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270**

Technical drawing



Minimum panel size	Maximum panel size
PVC: 500 x 1500	PVC: 990 x 2270**

* Possibility to choose the application color in consultation with a sales representative
** 2280 for lacquered panels

TANIA ET




Interior side



Exterior side


Technical drawing



Minimum panel size
PVC: 500 x 1500

Maximum panel size
PVC: 990 x 2270*

Technical drawing



Minimum panel size
PVC: 500 x 1500


Maximum panel size
PVC: 990 x 2270*

* 2280 for lacquered panels



Steel doors

Steel doors are made on the basis of profiles also used in windows systems. They combine original design and above-average durability. The filling in the form of XPS polystyrene foam or OSB board with increased strength is responsible for the insulation. Made of galvanised steel, the panels perfectly fit into the minimalist style of contemporary architecture.





Materials from which the door can be made:

- Stal (STEEL)



Available colour options:

- RAL



Panel fillings available:

- foam
- OSB board

Alternative fillings for **steel doors**

In addition to standard fillings, alternative options are also available for steel doors, characterised by various technical parameters and aesthetics.



Garage door panels

The panel used in the garage door was integrated into the door. They are durable and easy to maintain and guarantee good thermal insulation. Choosing consistent aesthetics for the garage door and the external door grants elegance to the whole building. Garage door panels can be used with Presto and Unico profiles.



AluLine panels

The filling in the form of AluLine panels allows you to choose from a rich catalogue of popular solutions, and even create your own project. Durable aluminium is an elegant choice for years that is easy to match with any building style. AluLine panels can be used with Presto, Unico and Unico XS profiles.





BigDoors panels

BigDoors glass panels in steel doors are effective and universal thanks to the wide range of available designs. It is possible to prepare your own proposal. This extremely fashionable, safe option allows you to use natural light wisely and create original arrangements at the same time. BigDoors panels can be used with Presto, Unico and Unico XS profiles.



Warm threshold

We offer the installation of a warm threshold in two variants. The customer can choose to install it with insulation material or on a PVC system extension. In both cases, the user will gain proper thermal insulation below the floor. This solution prevents the formation of thermal bridges, thanks to which cool air does not get inside the room.



Threshold-free external door

They are distinguished by a double magnetic gasket in a flat threshold and levelling with the floor level up to 30 mm. Thanks to these features, the barrier between the apartment and the terrace is almost non-existent. Children, the elderly and people with disabilities enjoy the comfort of moving around the house without obstacles. The harmony of the living room with nature and the surroundings allows you to enjoy the charms of warm days.



Door accessories

Accessories for the offered doors are not only a wide selection of handles and handrails in various shapes and colours. In addition to them, there are also additional technological solutions for hinges or espagnolette, as well as letterboxes or peepholes or devices controlling access to the building. The catalogue presents basic door accessories, the full offer is available in the sales department.



DOOR HINGES



Standard hinges (JOCKER Dr. Hahn, Wala WX and SFS Easy 3D)



Roller hinges (SFS Wala WR)



Concealed hinges (KFV AXXENT)

DOOR LOCKS



Available espagnolettes: 3-point, 5-point, 4 rollers, hook and automatic

MOTOR FOR DOOR LOCKS



G-U Security Automatic engine available

DOOR CLOSERS



Models available: GEZE, G-U lockable or non-lockable, Geze Boxer, Dorma93b, Geze5000

ACCESS CONTROL DEVICES



Idecom
(mounted in the K1 250x150 handle)



Sorex



Microswitch
(mounted in the FI30 post)



Idecom
(mounted in the Q10 post 40x40)

VISORS



Visor with a diameter of 14 mm, satin chrome finish. Available for filling from 15 to 85 mm.

MAIL SLOTS



Available models: MILA ProStyle, MILA, GAVA

HANDLE VICTORY



HANDLE NEW YORK



HANDLE GREENTEQ



HANDLE PLUTON



HANDLE JOWISZ



KNOB FKS 1080



PULL-HANDLE **PLUTON**



HANDLE **DG59**



HANDLE **35A/1200**



HANDLE **SOBINCO TOUCH**



Handles are available in all colors from our palette and can be lacquered to match the color of the joinery, ensuring a perfect fit for the door

HANDRAILS
SERIE Q

Tubular handles can be equipped with electronics - for individual inquiries and quotes.



HANDRAIL **Q5**



HANDRAIL**M1**



HANDRAIL**M2**



HANDRAIL**P GREENTEQ**



HANDRAIL
P45



HANDRAIL
P45B



HANDRAIL
P10



HANDRAIL
P8



HANDRAIL
P5



HANDRAIL
P1



SERIES
DP30



SERIES
DP40



SERIES
DP50



SERIES
DP60



SERIES
DP70



SERIES
DP80



RECESSED HANDLE KA1A

BLACK



INOX



LED*
WARM WHITE



LED*
NEUTRAL WHITE



LED*
COLD WHITE



LED*
BLUE



*Available only in Despiro and MasterLine 8 Despiro doors



BIG DOORS AND WINDOWS

The publication does not constitute a commercial offer. It is not the basis for making a complaint.
The images presented are illustrative graphics, not actual photos of the products.



Big Doors
and Windows

ul. Spacerowa 4

755 Queensway E Unit 28
Missauga Ont L4Y 4C5

www.bigdoorsandwindows.ca